



MATERIAL SAFETY DATA SHEET

Product Identifier Firestop EBI-60
Product Use Electrical Outlet Box Insert
Manufacturer Passive Fire Protection Partners, 1412 Derwent Way, Delta, BC V3M 6H9
Emergency Number (800) 810 - 1788

INGREDIENT INFORMATION

Ingredient	CAS #	% (wt.)	LC ₅₀ (rat)	LD ₅₀ (rat)	TLV	STEL
Polybutenes Polymers	9003-29-6	< 30	N/A	N/A	N/A	N/E
Calcium Carbonate	1317-65-3	< 30	N/A	N/A	10 mg/m ³	N/E
Natural Graphite	7782-42-5	< 60	N/A	N/A	2.0 mg/m ³	N/E
Sulfuric Acid	7664-93-9	< 15	N/A	N/A	1 mg/m ³	N/E
Nitric Acid ¹	7697-37-2	< 10	N/A	N/A	5.2 mg/m ³	N/E

NOTE: THE ACID COMPONENTS OF THIS PRODUCT ARE ENCAPSULATED WITHIN THE NATURAL GRAPHITE MATRIX. THEY DO NOT POSE A HAZARD DURING NORMAL USE OR HANDLING.

PHYSICAL PROPERTIES

Appearance / Physical State	Black, solid	Specific Gravity (@25°C)	1.50 – 1.70
Odour	Slight to none	Evaporation Rate	N/A
Odour Threshold	N/A	Boiling Point (°C)	Not determined
Vapour Pressure (mm Hg)	N/A	Freezing Point (°C)	Not determined
Vapour Density (Air = 1)	N/A	pH	Not determined
Coefficient of H₂O/Oil Distrib	Not determined	VOC contents (g/L)	0

FIRE AND EXPLOSION DATA

Flammability No
Means of Extinction CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special Fire-fighting Procedures Firefighters should wear the usual protective gear use self-contained breathing apparatus.
Auto-ignition Temperature (°C) N/A
Flash Point (°C) / Method 214 / (PMCC)
Upper Flammable Limit (% Vol.) N/A
Lower Flammable Limit (% Vol.) N/A
Sensitivity to Mechanical Impact No
Sensitivity to Static Discharge No
Hazardous Combustion Products Thermal decomposition or combustion may produce dense smoke, oxides of carbon, sulfur, nitrogen and low molecular weight organic compounds whose composition has not been characterized. Material volume will increase up to 200 times when exposed to intense heat.





MSDS - EBI-60

REACTIVITY DATA

Stability	Stable at normal condition
Condition of Reactivity	Material will expand when exposed to temperature above 150°C
Incompatible Materials	Reacts with strong oxidizing agents
Hazardous Decomposition Products	Carbon Monoxide and Carbon Dioxide.

TOXICOLOGICAL PROPERTIES

Routes of Exposure	<input checked="" type="checkbox"/> Skin contact <input type="checkbox"/> Skin absorption <input type="checkbox"/> Eye contact <input type="checkbox"/> Inhalation <input type="checkbox"/> Ingestion
Effects of Acute Exposure to Product	Skin and eyes irritation may occur after contact with the product.
Effects of Chronic Exposure to Product	None known
Exposure Limits	N/A
Irritancy of Product	None known
Sensitization of Product	None known
Carcinogenicity	None known
Teratogenicity	None known
Reproductive Toxicity	None known

FIRST AID MEASURES

Eye Contact	Flush with large quantities of water gently for 15 minutes and get immediate medical attention.
Skin Contact	Wash with soap and water.
Inhalation	Remove affected person away from source of exposure to fresh air and get medical attention IMMEDIATELY.
Ingestion	Get medical attention IMMEDIATELY.

PREVENTIVE MEASURES

Engineering Controls	Standard industrial ventilation is recommended.
Personal Protective Equipment	General protective and hygienic measures were required during normal use and handling.
Eye Protection (Specify)	Safety glasses with side-shields
Skin Protection (Specify)	Protective work clothing
Respiratory (Specify)	None normally required. However, use a NIOSH / OSHA approved respirator if mist or vapours formation should occur.
Other	

PRECAUTION FOR SAFE HANDLING AND USE

Handling Procedure and Equipment	No special measures required.
Storage Requirement	Keep under their original cover at temperature between 2 - 49°C (6 - 120°F).
Spill, Leak or Releases	Not applicable
Waste Disposal	Care should be taken to ensure that the material or its containers and disposed of in an approved facility, state, provincial and local regulations.
Special Shipping Instructions	Not determined

MSDS - EBI-60





REGULATION INFORMATION

WHMIS	D2A, E
HMIS	Health 1, Flammability 0, Reactivity 0, Personal Protection B
TDG Regulation	None known
TSCA	All ingredients of this product are on the inventory list.
DSL	All ingredients of this product are on the list.

PREPARATION INFORMATION

Prepared by	Chemical Laboratory, Passive Fire Protection Partners
Preparation Date	September 22, 2016
Telephone	(604) 515-1788
Website	www.firestop.com
Abbreviations Used	<p>% (wt.) = Weight Percentage ACGIH = American Conference of Governmental Industrial Hygienists CAS Number = Chemical Abstracts Series Number DSL = Domestic Substance List in Canada H = Hours HMIS = Hazardous Material Identification System IARC = International Agency for Research on Cancer LC₅₀ = Lethal Concentration, 50% LD₅₀ = Lethal Dose, 50% MSHA = Mine Safety and Health Administration N/A = Not Applicable or Not Available N/E = None Established NIOSH = The National Institute for Occupational Safety and Health NTG = National Toxicology Program OSHA = The Occupational Safety and Administration STEL = Short Term Exposure Limit TDG = Transportation of Dangerous Goods TLV = Threshold Limit Value TSCA = Toxic Substance Control Act in US VOC = Volatile Organic Compounds WHMIS = Workplace Hazardous Material Identification System</p>

This information is provided in good faith and is correct to the best of PFP Partners' knowledge as of the date hereof; however, PFP Partners makes no representation as to its completeness or accuracy. Customers are encouraged to make their own determination as to the suitability of this product for their purpose prior to use. PFP Partners disclaims responsibility to damages of any kind resulting from the use of this information. THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.

