

**MSDS** 

Revision No.

Date of Issue

September 12, 2017

5100SP

009

1 of 3

MSDS - 5100SP

Page

# **MATERIAL SAFETY DATA SHEET**

Firestop 5100SP **Product Identifier** 

**Product Use** Fire and Smoke Stop Sprayable Mastic

Manufacturer Passive Fire Protection Partners, 1412 Derwent Way, Delta, BC V3M 6H9

**Emergency Number** (800) 810 - 1788

INGREDIENT INFORMATION								
Ingredient Calcuim Carbonate	<b>CAS #</b> 1317-65-3	% (wt.) < 45	LC <sub>50</sub> (rat)	<b>LD</b> <sub>50</sub> (rat) N/A	<b>TLV</b> N/A	STEL N/E		
Water	7732-18-5	< 35	N/A	N/A	N/E	N/E		
Vinyl Acetate Polymers	Not disclosed	< 30	N/A	N/A	N/A	N/A		
Modified Acrylic Polymers	Proprietary	< 10	N/A	N/A	N/A	N/E		
Additives	N/A	< 5	N/A	N/A	N/A	N/A		
Titanium Dioxide(1),(3)	13463-67-7	< 2	N/A	N/A	10 mg/m <sup>3</sup>	N/A		
Iron Black Oxide(1)	1317-61-9	< 0.1	N/A	N/A	N/A	N/A		
Iron Red Oxide(2)	1309-37-1	< 0.5	N/A	N/A	N/A	N/A		
Iron Yellow Oxide(4)	51274-00-1	< 0.5	N/A	N/A	N/A	N/A		
Aqueous Colorant, Blue(5)	N/A	< 0.5	N/A	N/A	N/A	N/A		
	(1) Grov: (2)	<b>Dod</b> : (3)	\\/hito: (4)	Vollow: (5) Pluo				

(1) - Grey; (2) - Red; (3) - White; (4) - Yellow; (5) - Blue

PHYSI	CAL P	ROPE	ERTIES
-------	-------	------	--------

Appearance / Physical State	Grey, viscous compound	Specific Gravity (@25°C)	1.15 – 1.35
Odour	Mild odour	<b>Evaporation Rate</b>	< 1
Odour Threshold	Slight aromatic odour	Boiling Point (°C)	> 100
Vapour Pressure (mm Hg)	18.51880	Freezing Point (°C)	0
Vapour Density (Air = 1)	of Water vapour	рН	8.0 - 9.0
Coefficient of H <sub>2</sub> O/Oil Distrib	Not determined.	VOC contents (g/L)	81.3

## FIRE AND EXPLOSION DATA

**Flammability** No

Normal fire fighting procedures should be followed to avoid inhalation of Means of Extinction

smokes and gases.

**Special Fire-fighting Procedures** Firefighters should wear the usual protective gear, including the use of

self-contained breathing apparatus.

**Auto-ignition Temperature (°C)** N/A Flash Point (°C) / Method N/A N/A **Upper Flammable Limit (%, Vol.)** Lower Flammable Limit (%, Vol.) N/A **Sensitivity to Mechanical Impact** No Sensitivity to Static Discharge No

**Hazardous Combustion Products** Carbon Monoxide and/or Carbon Dioxide

Recycled

**MSDS** 5100SP 009 Revision No.

Date of Issue September 12, 2017





## **REACTIVITY DATA**

**Stability** Stable under normal storage conditions Condition of Reactivity Contact with incompatible substances.

**Incompatible Materials** Reacts with strong acids and liberates carbon dioxide

**Hazardous Decomposition** Dried film forced to burn will produce: Carbon Monoxide, Carbon Dioxide

**Products** and Hydrocarbon Oxidation products.

#### TOXICOLOGICAL PROPERTIES

**Routes of Exposure** Skin □ Skin □ Eye contact □ Inhalation

> contact absorption

**Effects of Acute Exposure to** 

**Product** 

Skin and eye irritation may occur after contact with the product.

Effects of Chronic Exposure to

Product

None known

**Exposure Limits** None known

**Irritancy of Product** Slight on skin and eyes

**Sensitization of Product** None known Carcinogenicity None known **Teratogenicity** None known Reproductive Toxicity None known

#### FIRST AID MEASURES

**Eye Contact** Flush eyes with large quantities of water for 15 minutes and get

medical attention.

**Skin Contact** Wash with soap and water immediately.

Inhalation Remove affected person away from source of exposure to fresh air and

get medical attention IMMEDIATELY.

Ingestion Get medical attention IMMEDIATELY.

### PREVENTIVE MEASURES

Engineering Controls General ventilation is recommended during normal use.

**Personal Protective Equipment** Not required, during normal use and handling. **Eye Protection (Specify)** Face shield or chemical goggles are recommended.

Chemical resistant nitrile, neoprene or rubber gloves are recommended Skin Protection (Specify)

if contact to the product directly.

Respiratory protection is not normally required. Use a NIOSH/MSHA Respiratory (Specify)

approved respirator if conditions warrant.

Other

## PRECAUTION FOR SAFE HANDLING AND USE

**Handling Procedure and** 

**Equipment** 

N/A

Storage Requirement

Material should be kept in original closed container and stored between

4-32°C (40-90°F).

Spills, Leaks or Releases

Wear protective equipment during cleanup.

**Waste Disposal** 

Care should be taken to ensure that the material or its containers are

disposed of in an approved facility, in accordance with state, provincial

and local regulations.

DO NOT FREEZE Special Shipping Instructions



1.800.810.1788 Technical Support 1.800.810.1788 Customer Service www.firestop.com email: firestop@firestop.com **Passive Fire Protection Partners** 1412 Derwent Way Delta, BC V3M 6H9

© 2017 PFP Partners. All rights reserved.



WHMIS

**Revision Date** 

**MSDS** 5100SP Revision No.

Page

Date of Issue September 12, 2017

3 of 3

MSDS - 5100SP

REGULATION INFORMATION

**HMIS** Health 1, Flammability 0, Reactivity 0 **TDG Regulation** Not classified as a hazardous material

**TSCA** All ingredients of this product are on the inventory list.

Not controlled

**DSL** All ingredients of this product are on the list.

PREPARATION INFORMATION

Prepared by Chemical Laboratory, Passive Fire Protection Partners

Date of Issue June 13, 2001 **Telephone** (604) 515-1788 Website www.firestop.com

Reason for Revision Formulation reviewing, rev 001, March 22, 2002

New format of MSDS, rev 002, September 16, 2004

Ingredient information updating, rev 003, November 10, 2006

Formulation updating, rev 004, August 24, 2009

Spelling mistake on Section of Precaution for Safety Handling and Use,

rev 005, March 1, 2010

MSDS format change, rev 006, September 24, 2012

September 12, 2017

Abbreviations Used % (wt.) = Weight Percentage

**ACGIH** = American Conference of Governmental Industrial Hygienists

**CAS Number** = Chemical Abstracts Series Number

DSL = Domestic Substance List in Canada

H = Hours

**HMIS** = Hazardous Material Identification System IARC = International Agency for Research on Cancer

**LC**<sub>50</sub> = Lethal Concentration, 50%

LD<sub>50</sub> = Lethal Dose, 50%

**MSHA** = Mine Safety and Health Administration

N/A = Not Applicable or Not Available

N/E = None Established

**NIOSH** = The National Institute for Occupational Safety and Health

NTG = National Toxicology Program

**OSHA** = The Occupational Safety and Administration

STEL = Short Term Exposure Limit

**TDG** = Transportation of Dangerous Goods

TLV = Threshold Limit Value

TSCA = Toxic Substance Control Act in US

**VOC** = Volatile Organic Compounds

WHMIS = Workplace Hazardous Material Identification System

This information is provided in good faith and is correct to the best of PFP Partners' knowledge as of the date hereof; however, PFP Partners makes no representation as to its completeness or accuracy. Customers are encouraged to make their own determination as to the suitability of this product for their purpose prior to use. PFP Partners disclaims responsibility for damages of any kind resulting from the use of this information. THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.

Recycled

Recyclable